



Engineered Under U.S Standards

Dallas, TX | Nationwide Supply


Farid Feizollahi

Founder & Director

+214-952-7900

Faridfzrealtor@gmail.com





C CONTENTS

Entrance Door

01-18

Pivot Door

02-08

Solid Wood Entrance Door

09-18

Composite Door

19-34

Composite Veneer Door

21-30

Composite Glass Door

31-34

Shaker Door

35-38

Barn Door

39-48

Floating Sliding door

49-60

Pocket Door

61-72

Folding Door

73-84

Folding Door

73-78

Louver folding door

79-84

Sliding Door

85-88

PVC Door

89-90




Accessories


91-96


The floor spring door can open freely inside and outside, and can make a larger door size than the ordinary swing door, which is a common door for renovation projects.



PR-EP001








SOLID WOOD ENTRANCE DOOR

The processed solid wood door has the characteristics of non-deformation, corrosion resistance, no cracks and heat insulation. Moth-proof, moisture-proof, anti-fouling, heat-resistant, anti-cracking, strong and non-deformation, sound insulation, it is a durable product.



PR-EW001



PR-EW002













COMPOSITE VENEER DOOR


Composite wood veneer door has a strong resistance to deformation, it has a long maintenance cycle, good heat and sound insulation performance. It does not need to be painted, which is environmentally friendly and saves money.











PRIMA



COMPOSITE GLASS DOOR

The composite glass door is not easy to deform or crack, it is clear texture on the surface, the door has the characteristics of heat preservation, impact resistance, and flame retardant, and the sound insulation effect is basically the same as that of the solid wood composite door.





SHAKER DOOR

For shaker doors, environmentally friendly, no cracking, deformation, discoloration and other phenomena. It can be carved with lines and various shapes. Smooth lines, bright colors, clear natural texture, and a strong sense of three-dimensional beauty.



PR-YB001



PR-YB002




PR-YB003



PR-YB004







PR-GC001




PR-GC002




PR-GC003



PR-GC004








FLOATING SLIDING DOOR

The overall design of the ghost door is simple and beautiful. Its track is hidden inside the door panel, so it takes up little space and is suitable for installation in rooms with narrow space.



PR-GG001





PR-GG002



PR-GG003



PR-GG004





PR-ST001



PR-ST002



PR-ST003



PR-ST004



PR-ST005



PR-ST007



PR-ST008



PR-ST009



PR-ST010




PR-ST011



PR-ST012



PR-ST013



PR-ST014



PR-ST015



PR-ST016



PR-ST017



PR-ST018



PR-ST019



PR-ST020



PR-ST021



PR-ST022




PR-ST023



PR-ST024



PR-ST025



① Track

② Pulley

③ Door Leaf

④ Stopper

⑤ Bottom Track



PR-KD001



PR-KD004



PR-KD005





PR-KD002




PR-KD003




PR-KD006










FOLDING DOOR


Folding doors are mainly suitable for partitions or screens purposes in workshops, shopping malls, office buildings, exhibition halls, home decoration and other places. It can be installed indoors or outdoors. It has a great effect on temperature insulation, dust prevention, noise reduction, sound insulation, and shielding.



- 1: Door Leaf 2: Door Frame 3: Upper Frame 4: Latch
5: Track 6: Hinge 7: Door Frame 8: Fixed Strip 9: Door Lock







LOUVER FOLDING DOOR

The louvered folding door is beautiful and energy-saving, simple and agile, and can be completely folded up with a clear view of the outside. It can also protect privacy while ventilating and letting in light.



PR-ZD014



PR-ZD015





PR-ZD020



PR-ZD021



PR-ZD022



SLIDING DOOR

Sliding door refers to the door leaf connected to the pulley and movable on a fixed track. It has the characteristics of easy installation, reusable, environmental protection, etc.




PR-YM001




PR-YM002



PR-YM003



PR-YM004



PVC DOOR

PVC doors are not only corrosion-resistant, non-flammable, insulating and anti-oxidant, but also can be reprocessed.
Due to its high security, it can be found everywhere in life. The perfect combination of door frame and door leaf.
Easy to install, save time, effort and money, it is an economic product.



PR-P001



PR-P002



PR-P003



PR-P004

size range	height:1900-2200mm(74.8-86.6in)
	width:610-1050mm(24-41.34in)
	thickness:30-45mm(1.18-1.75in)
surface	0.12/0.14/0.16mm PVC film
fill-in core	MDF sticks core
	honeycomb paper core
	parlicle board core
	solid wood core
edge sealing type	dovetail groove
	PVC strips
	solid wood
finish type	finished

Wood door hardware classification



Xiaomi electronic lock



Samsung electronic lock



LANBO electronic lock



BOSCH electronic lock

Entry door mechanical locks



Model: PR-MS001
Material: Zinc Alloy



Model: PR-MS002
Material: Zinc Alloy



Model: PR-MS003
Material: Zinc Alloy



Model: PR-MS004
Material: 304 Stainless Steel



Model: PR-MS005
Material: 304 Stainless Steel



Model: PR-MS006
Material: 304 Stainless Steel

Pivot door locks



Model: PR-MS007
Material: Zinc Alloy



Model: PR-MS008
Material: 304 Stainless

Sliding door locks



Model: PR-MS009
Material: Zinc Alloy



Model: PR-MS010
Material: Zinc Alloy

Interior door lock



Model: PR-MS011
Material: 304 Stainless Steel



Model: PR-MS012
Material: 304 Stainless Steel



Model: PR-MS013
Material: 304 Stainless Steel



Model: PR-MS014
Material: 304 Stainless Steel



Model: PR-MS015
Material: Zinc Alloy



Model: PR-MS016
Material: Zinc Alloy



Model: PR-MS017
Material: Zinc Alloy



Model: PR-MS018
Material: Space Aluminum



Model: PR-MS019
Material: Space Aluminum




Model: PR-MS020
Material: Zinc Alloy

Swing door hinge



Model: PR-MS021
Material: 304 Stainless Steel
Name: Non-Mortise Hinge



Model: PR-MS022
Material: 304 Stainless Steel
Name: Full Mortise Hinge



Model: PR-MS023
Material: 304 Stainless Steel
Name: Lift Off Hinge



Model: PR-MS024
Material: 304 Stainless Steel
Name: Invisible Hinge



Model: PR-MS025
Material: 304 Stainless Steel
Name: Hydraulic Hinge



Model: PR-MS026
Material: 304 Stainless Steel
Name: Diuble Action Spring Hinge

Long pull handle



Model: PR-MS027
Material: 304 Stainless Steel



Model: PR-MS028
Material: 304 Stainless Steel




Model: PR-MS029
Material: 304 Stainless Steel



Model: PR-MS030
Material: 304 Stainless Steel

Sliding door/folding door sliding track + pulley



Model: PR-MS031
Material: 304 Stainless Steel
Type: Barn Door Sliding Track



Model: PR-MS032
Material: Aluminum Alloy
Type: Barn Door Sliding Track Track



Model: PR-MS033
Material: Carbon Steel
Type: Barn Door Sliding Track



Model: PR-MS034
Material: Aluminum Alloy
Type: Sliding Door Sliding Track



Model: PR-MS035
Material: Sliding Door Hanging Wheel



Model: PR-MS036
Material: Sliding Door Hanging Wheel With Cushion



Model: PR-MS037
Material: Folding Door Hanging Wheel Set

Floor Spring Set



Model: PR-MS038
Material: Folding Door Hanging Wheel Set

Other Accessories



Model: PR-MS039
Material: 304 Stainless Steel
Name: Ball Catch Latch



Model: PR-MS040
Material: 304 Stainless Steel
Name: Roller Latch For Sliding Door / Folding Door

American-style door locks



PR-UK001



PR-UK002




PR-UK003



PR-UK004



PR-UK005



PR-UK006




PR-UK007



PR-UK008



PR-UK009



PR-UK010



PR-UK011



PR-UK012




PR-UK013




PR-UK014

Measuring method for door size





Measuring Door Opening (for door sets with frames)






- A: Opening Width:** Select the upper/middle/ lower points for measurement, choose the smallest one.
- B: Opening Height:** Select the left/middle/ right points for measurement, choose the smallest one.
- C: Wall Thickness:** Select the upper/middle/ lower points for measurement, choose the biggest one.

Door installation



- 1.chck whether the size of the door frame match with the door leaf, or it is need to cut;
- 2.Use screw assemble the frame, the archiraves are not to installed;
- 3.Fasten the door frame to the hole with fixed iron plate;
- 4.Install hinges to secure the door leaf to the door frame;
- 5.Install the lock and stopper;
- 6.Install architraves to the door frame.

Factory



Our Advantages

(1) Saving your money with half price of your local market.



(2) Saving your time, get all the materials from one supplier.



(3) Customized based on your projects, free design.

(4) NO MOQ required



(5) Mix container, door to door service.



(6) 3 years warranty

MEMO

[illegible]